International Journal of Pharmaceutics, 62 (1990) 269–270
Elsevier

Author Index

Ahlneck, C. and Zografi, G.
The molecular basis of moisture effects on the physical and chemical stability of drugs in the solid state (62) 87
Alderborn, G., see Wikberg, M. (62) 229
Alpar, H.O., Bason, A.M., Hickman, J.A., Richards, F.M. and Field, W.N.
Estimation by FACS of the delivery of liposome encapsulated macromolecules into myeloid cells (62) 133
Anderberg, E.K. and Nyström, C.
Physicochemical aspects of drug release. X. Investigation of the applicability of the cube root law for characterization of the dissolution rate of fine particulate materials (62) 143
Andry, M.-C., see Lévy, M.-C. (62) 27
Avgerinos, A., see Malamataris, S. (62) 105

Bason, A.M., see Alpar, H.O. (62) 133
Bettinetti, G.P., see Giordano, F. (62) 153
Björk, E. and Edman, P.
Characterization of degradable starch microspheres as a nasal delivery system for drugs (62) 187
Buckton, G. and Efentakis, M.
The use of thermodynamic activation parameters and compensation analysis to model drug release from hydrophobic matrices (62) 157
Bundgaard, H., see Kahns, A.H. (62) 193
Burgot, G. and Burgot, J.L.
Water/*n*-octanol thermodynamic parameters of some phenothiazines (62) R5
Burgot, J.L., see Burgot, G. (62) R5

Couvreur, P., see Seijo, B. (62) 1

Davies, M.C., Wilding, I.R., Short, R.D., Melia, C.D. and Rowe, R.C.
The in-situ chemical analysis of polymer film coatings using static secondary ion mass spectrometry (SSIMS) (62) 97
Davis, S.S., see Khosla, R. (62) R9

Edman, P., see Björk, E. (62) 187
Efentakis, M., see Buckton, G. (62) 157
Estelrich, J., see Montero, M.T. (62) 21

Fattal, E., see Seijo, B. (62) 1
Field, W.N., see Alpar, H.O. (62) 133
Friðriksdóttir, H., see Loftsson, T. (62) 243

Gabrijelčič, V., Šentjurc, M. and Kristl, J.
Evaluation of liposomes as drug carriers into the skin by one-dimensional EPR imaging (62) 75
Gasco, M.R., Pattarino, F. and Lattanzi, F.
Long-acting delivery systems for peptides: reduced plasma testosterone levels in male rats after a single injection (62) 119
Gazzaniga, A., see Giordano, F. (62) 153
Giordano, F., Gazzaniga, A., Bettinetti, G.P. and La Manna, A.
The influence of water content on the binding capacity of β-cyclodextrin (62) 153

Herbots, H., see Provost, C. (62) 217
Hickman, J.A., see Alpar, H.O. (62) 133

Ismailos, G., see Parissi-Poulou, M. (62) R13

Kahns, A.H. and Bundgaard, H.
Prodrugs as drug delivery systems. 107. Synthesis and chemical and enzymatic hydrolysis kinetics of various mono- and diester prodrugs of *N*-acetylcysteine (62) 193
Kaneniwa, N., see Otsuka, M. (62) 65
Karba, R., see Mrhar, A. (62) 15
Khosla, R. and Davis, S.S.
The effect of tablet size on the gastric emptying of non-disintegrating tablets (62) R9
Kinget, R., see Provost, C. (62) 217
Kristl, J., see Gabrijelčič, V. (62) 75

La Manna, A., see Giordano, F. (62) 153
Lattanzi, F., see Gasco, M.R. (62) 119
Lévy, M.-C. and Andry, M.-C.
Microcapsules prepared through interfacial cross-linking of starch derivatives (62) 27
Li Wan Po, A., see Mhando, J.R. (62) 249
Li Wan Po, A., see Zhou, X.H. (62) 259
Loftsson, T. and Friðriksdóttir, H.
Degradation of lomustine (CCNU) in aqueous solutions (62) 243

Macheras, P., see Parissi-Poulou, M. (62) R13
Malamataris, S. and Avgerinos, A.
Controlled release indomethacin microspheres prepared by using an emulsion solvent-diffusion technique (62) 105
McCafferty, D.F., see Woolfson, A.D. (62) 9
McGowan, K.E., see Woolfson, A.D. (62) 9
McKeown, R.H., see Prankerd, R.J. (62) 37
Melia, C.D., see Davies, M.C. (62) 97
Mhando, J.R. and Li Wan Po, A.
Controlled release of local anaesthetic agents from liquid–solid emulsion gels (62) 249

0378-5173/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Miettunen, R., see Sutinen, R. (62) 113
Mitra, A.K., see Schilling, R.J. (62) 53
Moës, A.J., see Timmermans, J. (62) 207
Moneghini, M., see Mrhar, A. (62) 15
Montero, M.T., Estelrich, J. and Valls, O.
Binding of non-steroidal anti-inflammatory drugs to human serum albumin (62) 21
Mrhar, A., Rubessa, F., Karba, R., Moneghini, M. and Primosic, S.
Pharmacokinetic evaluation of sustained release formulations of theophylline by analog hybrid simulation (62) 15

Nyström, C., see Anderberg, E.K. (62) 143

Omotosho, J.A.
The effect of acacia, gelatin and polyvinylpyrrolidone on chloroquine transport from multiple w/o/w emulsions (62) 81
Otsuka, M. and Kaneniwa, N.
Effect of grinding on the crystallinity and chemical stability in the solid state of cephalothin sodium (62) 65

Parissi-Poulou, M., Ismailos, G. and Macheras, P.
Modified HPLC analysis of diltiazem in plasma for pharmacokinetic studies (62) R13
Paronen, P., see Sutinen, R. (62) 113
Pattarino, F., see Gasco, M.R. (62) 119
Pikal, M.J. and Shah, S.
The collapse temperature in freeze drying: Dependence on measurement methodology and rate of water removal from the glassy phase (62) 165
Prankerd, R.J. and McKeown, R.H.
Physico-chemical properties of barbituric acid derivatives. Part I. Solubility-temperature dependence for 5,5-disubstituted barbituric acids in aqueous solutions (62) 37
Primosic, S., see Mrhar, A. (62) 15
Provost, C., Herbots, H. and Kinget, R.
Transparent oil-water gels. Part II. A study of the gel structure in transparent oil-water gels by differential scanning calorimetry (62) 217

Remon, J.P., see Visavarungroj, N. (62) 125
Richards, F.M., see Alpar, H.O. (62) 133
Roblot-Treupel, L., see Seijo, B. (62) 1
Rowe, R.C., see Davies, M.C. (62) 97
Rubessa, F., see Mrhar, A. (62) 15

Schilling, R.J. and Mitra, A.K.
Intestinal mucosal transport of insulin (62) 53
Seijo, B., Fattal, E., Roblot-Treupel, L. and Couvreur, P.
Design of nanoparticles of less than 50 nm diameter: preparation, characterization and drug loading (62) 1
Šentjurc, M., see Gabrijelčič, V. (62) 75
Shah, S., see Pikal, M.J. (62) 165
Short, R.D., see Davies, M.C. (62) 97
Sutinen, R., Urtti, A., Miettunen, R. and Paronen, P.
Water-activated and pH-controlled release of weak bases from silicone reservoir devices (62) 113

Timmermans, J. and Moës, A.J.
How well do floating dosage forms float? (62) 207

Urtti, A., see Sutinen, R. (62) 113

Valls, O., see Montero, M.T. (62) 21
Visavarungroj, N. and Remon, J.P.
Crosslinked starch as a disintegrating agent (62) 125

Wikberg, M. and Alderborn, G.
Compression characteristics of granulated materials. II. Evaluation of granule fragmentation during compression by tablet permeability and porosity measurements (62) 229
Wilding, I.R., see Davies, M.C. (62) 97
Woolfson, A.D., McCafferty, D.F. and McGowan, K.E.
The metabolism of amethocaine by porcine and human skin extracts: influence on percutaneous anaesthesia (62) 9

Zhou, X.H. and Li Wan Po, A.
Comparison of enzymic activities of tissues lining portals of drug absorption, using the rat as a model (62) 259
Zografi, G., see Ahlneck, C. (62) 87